

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	514	429/212.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 15:47
S2	364	S1 and @ad<"20030625"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 15:50
S3	47274	"429"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 15:48
S4	3242	29/623.1-623.5.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 15:48
S5	15207	429/209-255.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 15:49
S6	17360	S5 S4	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 15:49
S7	8966	S6 and @ad<"20030625"	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 09:06
S8	7467	S5 and @ad<"20030625"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 15:50
S9	808	S8 and (mechanical adj property tensile adj strength elongation adj break strain adj energy adj density elastic adj modulus)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:00
S10	0	S8 and (mechanical adj property and tensile adj strength and elongation adj break and strain adj energy adj density and elastic adj modulus)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 15:59
S11	0	S8 and (tensile adj strength and elongation adj break and strain adj energy adj density and elastic adj modulus)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:02
S12	441	S8 and (tensile adj strength elongation adj break strain adj energy adj density elastic adj modulus)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:01
S13	424	S8 and (tensile adj strength)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:00

EAST Search History

S14	25	S8 and (elongation adj break)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:00
S15	0	S8 and (strain adj energy adj density)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:01
S16	23	S8 and (elastic adj modulus)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:01
S17	1	S8 and (tensile adj strength and elongation adj break and elastic adj modulus)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:03
S18	1	S8 and (tensile adj strength and elongation near5 break and elastic adj modulus)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:03
S19	0	S8 and (tensile adj strength and elongation near5 break and elastic adj modulus and strain)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:03
S20	32	S8 and (elongation with break)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:04
S21	261	S8 and (strain)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:04
S22	16	S8 and (strain with density)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:16
S23	4	S8 and (strain with energy with density)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:12
S24	1	10/519073	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:15
S25	0	S8 and J/mm	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:17
S26	0	S8 and J/mm\$5	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:17
S27	1	S8 and "J/mm.sup.3"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:20
S28	1	S8 and "Joule/mm.sup.3"	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:20

EAST Search History

S29	1	S24 and strain adj energy adj density	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/24 16:20
S30	0	wo-0221616-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 16:20
S31	0	wo-02021616-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 16:24
S32	0	("2004043294").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/04 16:23
S33	1	("20040043294").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/04 16:23
S34	2	jp-2000012088-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 16:25
S35	2	jp-2002083594-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/04 16:26
S36	47377	"429"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 09:05
S37	3252	29/623.1-623.5.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 09:05
S38	15235	429/209-255.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 09:05
S39	17392	S38 S37	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 09:05
S40	48346	S36 S39	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 09:05
S41	22712	S40 and @ad<"20030625"	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 09:06

EAST Search History

S42	30	S41 and electrolytic adj (cu copper) adj foil	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 09:06
S43	30	S41 and electrolytic adj (cu copper) adj (foil current adj collector)	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 09:53
S44	1	("6051340").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 09:53
S45	1	S44 and electrolytic	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 09:53
S46	57	S41 and electrolytic adj (cu copper)	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 10:42
S47	27	S46 not S43	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 09:56
S48	1	S44 and current adj collector	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 09:57
S49	1	S44 and (cu copper)	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 10:10
S51	4	S41 and (cu copper) same sinter\$3 and (glass adj transition adj temperature) same binder	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 10:12
S52	4	S41 and (cu copper) same sinter\$3 and (glass adj transition adj temperature "T.sub.g") same binder	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 10:12
S53	11	S41 and sinter\$3 and (glass adj transition adj temperature "T.sub.g") same binder	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 10:13
S54	12	S41 and sinter\$3 and (glass adj transition adj temperature "T.sub.g" "tg") same binder	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 14:23
S55	8	S54 not S52	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 10:13
S56	0	S41 and sinter\$3 same ("300.degree. C" "400.degree. C")	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 10:16
S57	0	S41 and sinter\$3 same ("300.degree. C" "400.degree. C")	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 10:16

EAST Search History

S58	8	S41 and sinter\$3 same ("300.degree.C" "400.degree.C")	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 10:16
S59	102	S41 and electrolytic near5 (cu copper)	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 10:42
S60	85	S41 and electrolytic near3 (cu copper)	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 12:18
S61	15235	429/209-255.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 12:19
S62	7474	S61 and @ad<"20030625"	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 12:19
S63	120	S62 and surface adj roughness	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 12:19
S64	42	S62 and surface adj roughness and thickness same active adj material	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 12:19
S65	8	S62 and surface adj roughness same thickness same active adj material	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 12:23
S66	31	S62 and surface adj roughness and thickness with active adj material	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 15:24
S67	24	S66 not sanyo.as.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 12:31
S68	1	("20030180622").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:31
S69	1	S68 and thickness	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 12:31
S71	1	S68 and thickness same current adj collector	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 12:44
S72	1	("5468571").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/05 12:44
S73	1	S72 and thermoplastic	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 12:44

EAST Search History

S74	47377	"429"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 14:23
S75	3252	29/623.1-623.5.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 14:23
S76	15235	429/209-255.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 14:23
S77	17392	S76 S75	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 14:23
S78	48346	S74 S77	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 14:23
S79	22712	S78 and @ad<"20030625"	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 14:23
S80	730	S79 and sinter\$3 and (melt\$3 temperature or glass adj transition adj temperature "T.sub.g" "tg") same binder	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 14:24
S82	0	S79 and sinter\$3 with (glass adj transition adj temperature "T.sub.g" "tg") with binder	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 14:25
S83	2	S79 and sinter\$3 with (melt\$3 adj temperature or glass adj transition adj temperature "T.sub.g" "tg") with binder	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 14:26
S84	9	S79 and (heat\$3 sinter\$3) with (melt\$3 adj temperature or glass adj transition adj temperature "T. sub.g" "tg") with binder	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 14:35
S86	7	S84 not S83	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 14:27
S87	34	S79 and (heat\$3 sinter\$3) same (melt\$3 adj temperature or glass adj transition adj temperature "T. sub.g" "tg") same binder	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 14:41
S88	25	S87 not S84	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 14:36
S89	125	S79 and (heat\$3 sinter\$3) same (melt\$3 adj (point temperature) or glass adj transition adj temperature "T.sub.g" "tg") same binder	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 14:42

EAST Search History

S90	100	S89 not S88	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 14:42
S91	15235	429/209-255.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 15:24
S92	7474	S91 and @ad<"20030625"	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 15:24
S93	13	S92 and (surface adj roughness same thickness same current adj collector) and (thickness with active adj material)	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 15:25
S94	10	S93 not sanyo.as.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 15:46
S95	14	S79 and (surface adj roughness same thickness same current adj collector) and (thickness with active adj material)	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 15:26
S96	1	S95 not S93	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 15:25
S98	14	S79 and (roughness same thickness same current adj collector) and (thickness with active adj material)	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 15:28
S99	90782	h01m\$.ipc.	JPO	OR	ON	2006/04/05 15:29
S10 0	267	S99 and roughness	JPO	OR	ON	2006/04/05 15:29
S10 1	28	S99 and roughness and (charge current) adj collector	JPO	OR	ON	2006/04/05 15:32
S10 2	0	S91 and roughness and (charge current) adj collector	JPO	OR	ON	2006/04/05 15:32
S10 4	87	S91 and roughness same (charge current) adj collector	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 15:33
S10 5	141	S91 and roughness and (charge current) adj collector and thickness	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 15:34
S10 6	75	S91 and roughness and (charge current) adj collector and thickness same active adj material	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 15:34
S10 7	40	S92 and roughness and (charge current) adj collector and thickness same active adj material	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 15:46

EAST Search History

S10 8	27	S92 and roughness same (charge current) adj collector and thickness same active adj material	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 16:10
S10 9	21	S108 not sanyo.as.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 16:11
S11 0	27	S92 and (roughness same (charge current) adj collector) and (thickness same active adj material)	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 16:10
S11 1	21	S110 not sanyo.as.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/05 16:11